Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	0	1	1
Diagnosis		% within Sex	.0%	4.2%	1.1%
	13-19	Count	2	1	3
		% within Sex	3.0%	4.2%	3.3%
	20-24	Count	7	3	10
		% within Sex	10.6%	12.5%	11.1%
	25-29	Count	12	0	12
		% within Sex	18.2%	.0%	13.3%
	30-34	Count	8	2	10
		% within Sex	12.1%	8.3%	11.1%
	35-39	Count	16	2	18
		% within Sex	24.2%	8.3%	20.0%
	40-44	Count	9	7	16
		% within Sex	13.6%	29.2%	17.8%
	45-49	Count	8	5	13
		% within Sex	12.1%	20.8%	14.4%
	50-54	Count	2	3	5
		% within Sex	3.0%	12.5%	5.6%
	55-59	Count	1	0	1
		% within Sex	1.5%	.0%	1.1%
	70+	Count	1	0	1
		% within Sex	1.5%	.0%	1.1%
Total		Count	66	24	90
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	43	9	52
		% within Sex	65.2%	37.5%	57.8%
	African American	Count	7	8	15
		% within Sex	10.6%	33.3%	16.7%
	Hispanic	Count	15	5	20
		% within Sex	22.7%	20.8%	22.2%
	Asian-Pacific Islander	Count	0	2	2
		% within Sex	.0%	8.3%	2.2%
	Not Specified	Count	1	0	1
		% within Sex	1.5%	.0%	1.1%
Total		Count	66	24	90
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	32	0	32
Exposure		% within Sex	48.5%	.0%	35.6%
	IDU	Count	13	5	18
		% within Sex	19.7%	20.8%	20.0%
	M-M & IDU	Count	6	0	6
		% within Sex	9.1%	.0%	6.7%
	Heterosexual Contact	Count	2	11	13
		% within Sex	3.0%	45.8%	14.4%
	Not Classified	Count	13	7	20
		% within Sex	19.7%	29.2%	22.2%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	4.2%	1.1%
Total		Count	66	24	90
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	51	52
		% within Adult-Ped	100.0%	57.3%	57.8%
	African American	Count	0	15	15
		% within Adult-Ped	.0%	16.9%	16.7%
	Hispanic	Count	0	20	20
		% within Adult-Ped	.0%	22.5%	22.2%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	2.2%	2.2%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	1.1%	1.1%
Total		Count	1	89	90
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	4	4
Diagnosis		% within Sex	.0%	16.0%	5.0%
	20-24	Count	5	6	11
		% within Sex	9.1%	24.0%	13.8%
	25-29	Count	8	3	11
		% within Sex	14.5%	12.0%	13.8%
	30-34	Count	14	2	16
		% within Sex	25.5%	8.0%	20.0%
	35-39	Count	4	2	6
		% within Sex	7.3%	8.0%	7.5%
	40-44	Count	13	3	16
		% within Sex	23.6%	12.0%	20.0%
	45-49	Count	5	3	8
		% within Sex	9.1%	12.0%	10.0%
	50-54	Count	3	2	5
		% within Sex	5.5%	8.0%	6.3%
	55-59	Count	1	0	1
		% within Sex	1.8%	.0%	1.3%
	60-64	Count	1	0	1
		% within Sex	1.8%	.0%	1.3%
	65-69	Count	1	0	1
		% within Sex	1.8%	.0%	1.3%
Total		Count	55	25	80
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	29	9	38
		% within Sex	52.7%	36.0%	47.5%
	African American	Count	8	4	12
		% within Sex	14.5%	16.0%	15.0%
	Hispanic	Count	18	12	30
		% within Sex	32.7%	48.0%	37.5%
Total		Count	55	25	80
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	26	0	26
Exposure		% within Sex	47.3%	.0%	32.5%
	IDU	Count	7	8	15
		% within Sex	12.7%	32.0%	18.8%
	M-M & IDU	Count	6	0	6
		% within Sex	10.9%	.0%	7.5%
	Heterosexual Contact	Count	3	14	17
		% within Sex	5.5%	56.0%	21.3%
	Transfusion	Count	2	0	2
		% within Sex	3.6%	.0%	2.5%
	Not Classified	Count	11	3	14
		% within Sex	20.0%	12.0%	17.5%
Total		Count	55	25	80
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	38	38
		% within Adult-Ped	47.5%	47.5%
	African American	Count	12	12
		% within Adult-Ped	15.0%	15.0%
	Hispanic	Count	30	30
		% within Adult-Ped	37.5%	37.5%
Total		Count	80	80
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.6%	.0%	.5%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	2-4	Count	0	1	1
		% within Sex	.0%	.9%	.2%
	5-12	Count	1	3	4
		% within Sex	.3%	2.8%	1.0%
	13-19	Count	4	9	13
		% within Sex	1.3%	8.3%	3.1%
	20-24	Count	28	17	45
		% within Sex	9.1%	15.7%	10.8%
	25-29	Count	46	17	63
		% within Sex	14.9%	15.7%	15.1%
	30-34	Count	61	12	73
		% within Sex	19.8%	11.1%	17.5%
	35-39	Count	53	10	63
		% within Sex	17.2%	9.3%	15.1%
	40-44	Count	54	18	72
		% within Sex	17.5%	16.7%	17.3%
	45-49	Count	34	15	49
		% within Sex	11.0%	13.9%	11.8%
	50-54	Count	13	6	19
		% within Sex	4.2%	5.6%	4.6%
	55-59	Count	4	0	4
		% within Sex	1.3%	.0%	1.0%
	60-64	Count	3	0	3
		% within Sex	1.0%	.0%	.7%
	65-69	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	70+	Count	2	0	2
		% within Sex	.6%	.0%	.5%
	Unknown	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total		Count	308	108	416
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	187	47	234
		% within Sex	60.7%	43.5%	56.3%
	African American	Count	36	28	64
		% within Sex	11.7%	25.9%	15.4%
	Hispanic	Count	81	31	112
		% within Sex	26.3%	28.7%	26.9%
	Asian-Pacific Islander	Count	2	2	4
		% within Sex	.6%	1.9%	1.0%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	Not Specified	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total		Count	308	108	416
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	147	0	147
Exposure		% within Sex	47.7%	.0%	35.3%
	IDU	Count	41	39	80
		% within Sex	13.3%	36.1%	19.2%
	M-M & IDU	Count	36	0	36
		% within Sex	11.7%	.0%	8.7%
	Heterosexual Contact	Count	10	42	52
		% within Sex	3.2%	38.9%	12.5%
	Transfusion	Count	2	0	2
		% within Sex	.6%	.0%	.5%
	Not Classified	Count	68	23	91
		% within Sex	22.1%	21.3%	21.9%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	Ped Parent at Risk	Count	3	2	5
		% within Sex	1.0%	1.9%	1.2%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.9%	.2%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.9%	.2%
Total		Count	308	108	416
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	5	229	0	234
		% within Adult-Ped	62.5%	56.3%	.0%	56.3%
	African American	Count	2	62	0	64
		% within Adult-Ped	25.0%	15.2%	.0%	15.4%
	Hispanic	Count	1	110	1	112
		% within Adult-Ped	12.5%	27.0%	100.0%	26.9%
	Asian-Pacific Islander	Count	0	4	0	4
		% within Adult-Ped	.0%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	1	0	1
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.2%	.0%	.2%
Total		Count	8	407	1	416
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

Diagnosis	0 (0-11 mo) 1 (12-23 mo)	Count	Male	Female	Total
Diagnosis	,	Count			i Otai
	1 (12 22 ma)		2	0	2
	1 (12 22 ma)	% within Sex	.7%	.0%	.5%
	1 (12-23 1110)	Count	1	0	1
		% within Sex	.3%	.0%	.3%
2	2-4	Count	0	1	1
		% within Sex	.0%	.9%	.3%
	5-12	Count	1	3	4
		% within Sex	.3%	2.8%	1.0%
7	13-19	Count	4	9	13
		% within Sex	1.4%	8.5%	3.3%
	20-24	Count	28	17	45
		% within Sex	9.7%	16.0%	11.4%
	25-29	Count	45	16	61
		% within Sex	15.5%	15.1%	15.4%
-3	30-34	Count	59	11	70
_		% within Sex	20.3%	10.4%	17.7%
<u> </u>	35-39	Count	49	10	59
_		% within Sex	16.9%	9.4%	14.9%
4	40-44	Count	49	18	67
		% within Sex	16.9%	17.0%	16.9%
	45-49	Count	32	15	47
_		% within Sex	11.0%	14.2%	11.9%
	50-54	Count	10	6	16
_		% within Sex	3.4%	5.7%	4.0%
	55-59	Count	4	0	4
		% within Sex	1.4%	.0%	1.0%
	60-64	Count	3	0	3
		% within Sex	1.0%	.0%	.8%
	65-69	Count	1	0	1
		% within Sex	.3%	.0%	.3%
<u> </u>	70+	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Ī	Unknown	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	290	106	396
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
		•	Male	Female	Total
Current	5-12	Count	3	2	5
Age		% within Sex	1.0%	1.9%	1.3%
	13-19	Count	1	3	4
		% within Sex	.3%	2.8%	1.0%
	20-24	Count	10	14	24
		% within Sex	3.4%	13.2%	6.1%
	25-29	Count	25	11	36
		% within Sex	8.6%	10.4%	9.1%
	30-34	Count	55	17	72
		% within Sex	19.0%	16.0%	18.2%
	35-39	Count	52	12	64
		% within Sex	17.9%	11.3%	16.2%
	40-44	Count	62	19	81
		% within Sex	21.4%	17.9%	20.5%
	45-49	Count	37	14	51
		% within Sex	12.8%	13.2%	12.9%
	50-54	Count	31	13	44
		% within Sex	10.7%	12.3%	11.1%
	55-59	Count	6	1	7
		% within Sex	2.1%	.9%	1.8%
	60-64	Count	5	0	5
		% within Sex	1.7%	.0%	1.3%
	70+	Count	2	0	2
		% within Sex	.7%	.0%	.5%
	Unknown	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	290	106	396
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	178	47	225
		% within Sex	61.4%	44.3%	56.8%
	African American	Count	34	28	62
		% within Sex	11.7%	26.4%	15.7%
	Hispanic	Count	74	30	104
		% within Sex	25.5%	28.3%	26.3%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	.7%	.9%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Not Specified	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total	<u> </u>	Count	290	106	396
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	141	0	141
Exposure		% within Sex	48.6%	.0%	35.6%
	IDU	Count	38	39	77
		% within Sex	13.1%	36.8%	19.4%
	M-M & IDU	Count	33	0	33
		% within Sex	11.4%	.0%	8.3%
	Heterosexual Contact	Count	9	41	50
		% within Sex	3.1%	38.7%	12.6%
	Transfusion	Count	2	0	2
		% within Sex	.7%	.0%	.5%
	Not Classified	Count	63	22	85
		% within Sex	21.7%	20.8%	21.5%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	3	2	5
		% within Sex	1.0%	1.9%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.9%	.3%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.9%	.3%
Total		Count	290	106	396
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	5	220	0	225
		% within Adult-Ped	62.5%	56.8%	.0%	56.8%
	African American	Count	2	60	0	62
		% within Adult-Ped	25.0%	15.5%	.0%	15.7%
	Hispanic	Count	1	102	1	104
		% within Adult-Ped	12.5%	26.4%	100.0%	26.3%
	Asian-Pacific Islander	Count	0	3	0	3
		% within Adult-Ped	.0%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	1	0	1
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.3%	.0%	.3%
Total		Count	8	387	1	396
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	1	1	2
Diagnosis		% within Sex	1.4%	6.3%	2.2%
	25-29	Count	5	1	6
		% within Sex	6.8%	6.3%	6.7%
	30-34	Count	10	3	13
		% within Sex	13.7%	18.8%	14.6%
	35-39	Count	18	4	22
		% within Sex	24.7%	25.0%	24.7%
	40-44	Count	15	2	17
		% within Sex	20.5%	12.5%	19.1%
	45-49	Count	7	1	8
		% within Sex	9.6%	6.3%	9.0%
	50-54	Count	9	2	11
		% within Sex	12.3%	12.5%	12.4%
	55-59	Count	5	2	7
		% within Sex	6.8%	12.5%	7.9%
	60-64	Count	1	0	1
		% within Sex	1.4%	.0%	1.1%
	65-69	Count	2	0	2
		% within Sex	2.7%	.0%	2.2%
Total		Count	73	16	89
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	36	10	46
		% within Sex	49.3%	62.5%	51.7%
	African American	Count	8	2	10
		% within Sex	11.0%	12.5%	11.2%
	Hispanic	Count	29	4	33
		% within Sex	39.7%	25.0%	37.1%
Total		Count	73	16	89
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	36	0	36
Exposure		% within Sex	49.3%	.0%	40.4%
	IDU	Count	11	6	17
		% within Sex	15.1%	37.5%	19.1%
	M-M & IDU	Count	14	0	14
		% within Sex	19.2%	.0%	15.7%
	Heterosexual Contact	Count	3	8	11
		% within Sex	4.1%	50.0%	12.4%
	Not Classified	Count	9	2	11
		% within Sex	12.3%	12.5%	12.4%
Total		Count	73	16	89
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Adult-Ped Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	46	46
		% within Adult-Ped	51.7%	51.7%
	African American	Count	10	10
		% within Adult-Ped	11.2%	11.2%
	Hispanic	Count	33	33
		% within Adult-Ped	37.1%	37.1%
Total		Count	89	89
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2	1	3
Diagnosis		% within Sex	3.4%	14.3%	4.5%
	25-29	Count	2	0	2
		% within Sex	3.4%	.0%	3.0%
	30-34	Count	14	2	16
		% within Sex	23.7%	28.6%	24.2%
	35-39	Count	8	1	9
		% within Sex	13.6%	14.3%	13.6%
	40-44	Count	13	3	16
		% within Sex	22.0%	42.9%	24.2%
	45-49	Count	9	0	9
		% within Sex	15.3%	.0%	13.6%
	50-54	Count	5	0	5
		% within Sex	8.5%	.0%	7.6%
	60-64	Count	5	0	5
		% within Sex	8.5%	.0%	7.6%
	70+	Count	1	0	1
		% within Sex	1.7%	.0%	1.5%
Total		Count	59	7	66
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	32	5	37
		% within Sex	54.2%	71.4%	56.1%
	African American	Count	11	0	11
		% within Sex	18.6%	.0%	16.7%
	Hispanic	Count	15	2	17
		% within Sex	25.4%	28.6%	25.8%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	1.7%	.0%	1.5%
Total		Count	59	7	66
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	29	0	29
Exposure		% within Sex	49.2%	.0%	43.9%
	IDU	Count	9	3	12
		% within Sex	15.3%	42.9%	18.2%
	M-M & IDU	Count	7	0	7
		% within Sex	11.9%	.0%	10.6%
	Heterosexual Contact	Count	5	4	9
		% within Sex	8.5%	57.1%	13.6%
	Not Classified	Count	9	0	9
		% within Sex	15.3%	.0%	13.6%
Total		Count	59	7	66
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	37	37
		% within Adult-Ped	56.1%	56.1%
	African American	Count	11	11
		% within Adult-Ped	16.7%	16.7%
	Hispanic	Count	17	17
		% within Adult-Ped	25.8%	25.8%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.5%	1.5%
Total		Count	66	66
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	5-12	Count	6	1	7
		% within Sex	.5%	.6%	.5%
	13-19	Count	10	1	11
		% within Sex	.8%	.6%	.8%
	20-24	Count	49	13	62
		% within Sex	4.0%	8.4%	4.5%
	25-29	Count	213	22	235
		% within Sex	17.3%	14.3%	16.9%
	30-34	Count	262	37	299
		% within Sex	21.2%	24.0%	21.5%
	35-39	Count	270	27	297
		% within Sex	21.9%	17.5%	21.4%
	40-44	Count	180	25	205
		% within Sex	14.6%	16.2%	14.8%
	45-49	Count	115	10	125
		% within Sex	9.3%	6.5%	9.0%
	50-54	Count	58	8	66
		% within Sex	4.7%	5.2%	4.8%
	55-59	Count	34	6	40
		% within Sex	2.8%	3.9%	2.9%
	60-64	Count	21	1	22
		% within Sex	1.7%	.6%	1.6%
	65-69	Count	9	3	12
		% within Sex	.7%	1.9%	.9%
	70+	Count	6	0	6
		% within Sex	.5%	.0%	.4%
Total		Count	1234	154	1388
		% within Sex	100.0%	100.0%	100.0%
- Di	α Δrea = Pan-\//	-4 T			

a. Planning Area = Pan-West Texas

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	772	73	845
		% within Sex	62.6%	47.4%	60.9%
	African American	Count	153	39	192
		% within Sex	12.4%	25.3%	13.8%
	Hispanic	Count	306	42	348
		% within Sex	24.8%	27.3%	25.1%
	Asian-Pacific Islander	Count	3	0	3
		% within Sex	.2%	.0%	.2%
Total		Count	1234	154	1388
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	679	0	679
Exposure		% within Sex	55.0%	.0%	48.9%
	IDU	Count	157	62	219
		% within Sex	12.7%	40.3%	15.8%
	M-M & IDU	Count	217	0	217
		% within Sex	17.6%	.0%	15.6%
	Hemophiliac	Count	11	1	12
		% within Sex	.9%	.6%	.9%
	Heterosexual Contact	Count	33	47	80
		% within Sex	2.7%	30.5%	5.8%
	Transfusion	Count	14	10	24
		% within Sex	1.1%	6.5%	1.7%
	Not Classified	Count	116	33	149
		% within Sex	9.4%	21.4%	10.7%
	Ped Hemophiliac	Count	4	0	4
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	3	0	3
		% within Sex	.2%	.0%	.2%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.6%	.1%
Total		Count	1234	154	1388
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	842	845
		% within Adult-Ped	37.5%	61.0%	60.9%
	African American	Count	2	190	192
		% within Adult-Ped	25.0%	13.8%	13.8%
	Hispanic	Count	3	345	348
		% within Adult-Ped	37.5%	25.0%	25.1%
	Asian-Pacific Islander	Count	0	3	3
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	8	1380	1388
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	1	2
Diagnosis		% within Sex	.2%	1.3%	.3%
	13-19	Count	6	0	6
		% within Sex	1.1%	.0%	1.0%
	20-24	Count	14	8	22
		% within Sex	2.6%	10.0%	3.6%
	25-29	Count	73	10	83
		% within Sex	13.8%	12.5%	13.6%
	30-34	Count	108	20	128
		% within Sex	20.4%	25.0%	21.0%
	35-39	Count	126	17	143
		% within Sex	23.8%	21.3%	23.4%
	40-44	Count	93	11	104
		% within Sex	17.5%	13.8%	17.0%
	45-49	Count	49	5	54
		% within Sex	9.2%	6.3%	8.9%
	50-54	Count	35	4	39
		% within Sex	6.6%	5.0%	6.4%
	55-59	Count	13	3	16
		% within Sex	2.5%	3.8%	2.6%
	60-64	Count	8	0	8
		% within Sex	1.5%	.0%	1.3%
	65-69	Count	2	1	3
		% within Sex	.4%	1.3%	.5%
	70+	Count	2	0	2
		% within Sex	.4%	.0%	.3%
Total		Count	530	80	610
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	13-19	Count	0	1	1
Age		% within Sex	.0%	1.3%	.2%
	20-24	Count	5	1	6
		% within Sex	.9%	1.3%	1.0%
	25-29	Count	11	5	16
		% within Sex	2.1%	6.3%	2.6%
	30-34	Count	60	13	73
		% within Sex	11.3%	16.3%	12.0%
	35-39	Count	108	14	122
		% within Sex	20.4%	17.5%	20.0%
	40-44	Count	120	20	140
		% within Sex	22.6%	25.0%	23.0%
	45-49	Count	107	12	119
		% within Sex	20.2%	15.0%	19.5%
	50-54	Count	65	8	73
		% within Sex	12.3%	10.0%	12.0%
	55-59	Count	31	3	34
		% within Sex	5.8%	3.8%	5.6%
	60-64	Count	13	0	13
		% within Sex	2.5%	.0%	2.1%
	65-69	Count	7	2	9
		% within Sex	1.3%	2.5%	1.5%
	70+	Count	3	1	4
		% within Sex	.6%	1.3%	.7%
Total		Count	530	80	610
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	303	45	348
		% within Sex	57.2%	56.3%	57.0%
	African American	Count	75	16	91
		% within Sex	14.2%	20.0%	14.9%
	Hispanic	Count	150	19	169
		% within Sex	28.3%	23.8%	27.7%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.4%	.0%	.3%
Total		Count	530	80	610
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	269	0	269
Exposure		% within Sex	50.8%	.0%	44.1%
	IDU	Count	71	38	109
		% within Sex	13.4%	47.5%	17.9%
	M-M & IDU	Count	98	0	98
		% within Sex	18.5%	.0%	16.1%
	Hemophiliac	Count	2	0	2
		% within Sex	.4%	.0%	.3%
	Heterosexual Contact	Count	23	24	47
		% within Sex	4.3%	30.0%	7.7%
	Transfusion	Count	4	0	4
		% within Sex	.8%	.0%	.7%
	Not Classified	Count	62	17	79
		% within Sex	11.7%	21.3%	13.0%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.3%	.2%
Total	_	Count	530	80	610
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	347	348
		% within Adult-Ped	50.0%	57.1%	57.0%
	African American	Count	1	90	91
		% within Adult-Ped	50.0%	14.8%	14.9%
	Hispanic	Count	0	169	169
		% within Adult-Ped	.0%	27.8%	27.7%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	2	608	610
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.2%	.0%	.2%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	2-4	Count	0	1	1
		% within Sex	.0%	.5%	.1%
	5-12	Count	2	4	6
		% within Sex	.2%	2.2%	.6%
	13-19	Count	10	9	19
		% within Sex	1.2%	4.8%	1.9%
	20-24	Count	42	25	67
		% within Sex	5.1%	13.4%	6.7%
	25-29	Count	118	26	144
		% within Sex	14.4%	14.0%	14.3%
	30-34	Count	167	31	198
		% within Sex	20.4%	16.7%	19.7%
	35-39	Count	175	27	202
		% within Sex	21.3%	14.5%	20.1%
	40-44	Count	142	29	171
		% within Sex	17.3%	15.6%	17.0%
	45-49	Count	81	20	101
		% within Sex	9.9%	10.8%	10.0%
	50-54	Count	45	10	55
		% within Sex	5.5%	5.4%	5.5%
	55-59	Count	17	3	20
		% within Sex	2.1%	1.6%	2.0%
	60-64	Count	11	0	11
		% within Sex	1.3%	.0%	1.1%
	65-69	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	70+	Count	3	0	3
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	820	186	1006
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

### Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	5-12	Count	3	2	5
Age		% within Sex	.4%	1.1%	.5%
	13-19	Count	1	4	5
		% within Sex	.1%	2.2%	.5%
	20-24	Count	15	15	30
		% within Sex	1.8%	8.1%	3.0%
	25-29	Count	36	16	52
		% within Sex	4.4%	8.6%	5.2%
	30-34	Count	115	30	145
		% within Sex	14.0%	16.1%	14.4%
	35-39	Count	160	26	186
		% within Sex	19.5%	14.0%	18.5%
	40-44	Count	182	39	221
		% within Sex	22.2%	21.0%	22.0%
	45-49	Count	144	26	170
		% within Sex	17.6%	14.0%	16.9%
	50-54	Count	96	21	117
		% within Sex	11.7%	11.3%	11.6%
	55-59	Count	37	4	41
		% within Sex	4.5%	2.2%	4.1%
	60-64	Count	18	0	18
		% within Sex	2.2%	.0%	1.8%
	65-69	Count	7	2	9
		% within Sex	.9%	1.1%	.9%
	70+	Count	5	1	6
		% within Sex	.6%	.5%	.6%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	820	186	1006
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	481	92	573
		% within Sex	58.7%	49.5%	57.0%
	African American	Count	109	44	153
		% within Sex	13.3%	23.7%	15.2%
	Hispanic	Count	224	49	273
		% within Sex	27.3%	26.3%	27.1%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	.5%	.5%	.5%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total	<u> </u>	Count	820	186	1006
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	410	0	410
		% within Sex	50.0%	.0%	40.8%
	IDU	Count	109	77	186
		% within Sex	13.3%	41.4%	18.5%
	M-M & IDU	Count	131	0	131
		% within Sex	16.0%	.0%	13.0%
1	Hemophiliac	Count	2	0	2
		% within Sex	.2%	.0%	.2%
- - - -	Heterosexual Contact	Count	32	65	97
		% within Sex	3.9%	34.9%	9.6%
	Transfusion	Count	6	0	6
		% within Sex	.7%	.0%	.6%
	Not Classified	Count	125	39	164
		% within Sex	15.2%	21.0%	16.3%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	Ped Parent at Risk	Count	3	2	5
		% within Sex	.4%	1.1%	.5%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.5%	.1%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	1.1%	.2%
Total		Count	820	186	1006
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	6	567	0	573
		% within Adult-Ped	60.0%	57.0%	.0%	57.0%
	African American	Count	3	150	0	153
		% within Adult-Ped	30.0%	15.1%	.0%	15.2%
	Hispanic	Count	1	271	1	273
		% within Adult-Ped	10.0%	27.2%	100.0%	27.1%
	Asian-Pacific Islander	Count	0	5	0	5
		% within Adult-Ped	.0%	.5%	.0%	.5%
	Am Indian-Alaskan	Count	0	1	0	1
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.1%	.0%	.1%
Total		Count	10	995	1	1006
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = Pan-West Texas